	Material Safety Data Sheet (MSDS)	Date	2011.11.11
		Revision date	2015.05.01
	Hanwha Total Petrochemical PP Composite SH52C	Revision No.	REV.2
		Pages	1 / 12

1. IDENTIFICATION

A. Product name

Product name:

Hanwha Total Petrochemical PP Composite SH52C

B. Recommended Use and Restriction on Use

General Use: Not available

Restriction in use: Not available

C. Manufacturer/Distributor Information

- Manufacturer Information

Company	Hanwha Total Petrochemical Co., Ltd.		
Address	103, Dokgot 2-ro, Daesan-eup, Seosan-si, Chungcheongnam-do, Korea 356-711		
Phone	82-41-660-6255	FAX	82-41-660-6089

2. HAZARDS IDENTIFICATION

A. GHS Classification:

Physical Hazards

- Not Classified

Health Hazards

- Not Classified

Environmental Hazards

- Not Classified

B. GHS label elements, including precautionary statements:

Hazard symbols: Not available


Signal word: Not available

Hazard statement: Not available

Precautionary statements:

- Prevention: Not available

- Response: Not available

	Material Safety Data Sheet (MSDS)	Date	2011.11.11
		Revision date	2015.05.01
	Hanwha Total Petrochemical PP Composite SH52C	Revision No.	REV.2
		Pages	2 / 12

- Storage: Not available
- Disposal: Not available

C. Other hazards which do not result in classification:

- NFPA rating(0-4 steps): Health =1, Flammability=1, Reactivity=0

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	Other name	CAS No. or Identification No	Content(%)
POLYPROPYLENE	1-PROPENE, HOMOPOLYMER	9003-07-0	≥ 65
BARIUM SULFATE	SULFURIC ACID, BARIUM SALT (1:1)	7727-43-7	< 30
Others	Additives	-	< 5

※ Identification No.: KE(Korea Existing Chemicals Registration Number)

4. FIRST-AID MEASURES


A. Eye Contact:

- In case of contact with substances, rinse your eyes immediately with running water for at least 20 minutes.
- Consult a doctor.

B. Skin Contact:

- In case of contact with substances, rinse your skin immediately with running water for at least 20 minutes.
- Thoroughly clean clothes and shoes before reuse.
- Consult a doctor.

C. Inhalation:

	Material Safety Data Sheet (MSDS)	Date	2011.11.11
		Revision date	2015.05.01
	Hanwha Total Petrochemical PP Composite SH52C	Revision No.	REV.2
		Pages	3 / 12

- If not breathing, carry out the artificial respiration.
- If short of breathing, provide oxygen supply system.
- Move into fresh air.
- Consult a doctor.

D. Ingestion:

- Do not put anything into the mouth of an uncounscious person.
- Immediately take medical action.

E. Delay and immediate effects and also chronic effects from short and long term exposure: Not available

F. Notice to Physician:

- Do not put anything into the mouth of an uncounscious person.

5. FIRE FIGHTING MEASURE

A. Suitable (Unsuitable) extinguishing media:


- Extinguishing media: Mist, fine water spray, chemical desiccant, carbon dioxide, foam
- Unsuitable Extinguishing media: water jet
- Large Fire: Not available

B. Specific hazards arising from chemicals:

- Thermal decomposition products:
 - Pyrolysis or combustion cause irritative gases or carbon oxides.
- Fire and Explosion Hazards: Not available

C. Fire fighting procedures and equipments:

- Move the containers out of the fire areas, if possible to do without risk.
- Some are possibly at high temperature during transfer.
- Effluents may cause contamination.
- Direct contact may cause burning on the skin and eyes.

	Material Safety Data Sheet (MSDS)	Date	2011.11.11
		Revision date	2015.05.01
	Hanwha Total Petrochemical PP Composite SH52C	Revision No.	REV.2
		Pages	4 / 12

- For disposal of fire water, dig a ditch to trap and prevent the spread of substances.
- Move the containers out of the fire areas, if possible to do without risk.
- For a fire on tank, cool down the containers with cool water after being extinguished.
- Immediately evacuate, in case of noise from pressure relief units or discoloration of the tank.
- For a fire on tank, step back from the tank engulfed in flames.

6. ACCIDENTAL RELEASE MEASURES

A. Personal Precautions, Protective Equipment and Emergency procedures:


- Take caution of substances and conditions that should be avoided.
- If it is not dangerous, stop leaking.
- Remove all flammable sources.
- Prevent producing dust.
- DO NOT touch the effluents or walk around the area.
- Ventilate properly.

B. Environmental Precautions:

- Spill in air: Not available
- Spill in soil: Not available
- Spill in water: Not available
- Sewage water leak, water will be prevented from entering.
- Leakage in many cases be reported to the fire department and related departments.

C. Methods and materials for containment and cleaning up:

- Small leak:
 - Wipe out
 - Dispose the effluents in a air-tight container.
- Large leak:

	Material Safety Data Sheet (MSDS)	Date	2011.11.11
		Revision date	2015.05.01
	Hanwha Total Petrochemical PP Composite SH52C	Revision No.	REV.2
		Pages	5 / 12

- Powder emission: To minimize the spread, cover it with plastic sheets or water-proof cloths and keep it away from water.

7. HANDLING AND STORAGE

A. Handling:

- Wash thoroughly after use.
- Take caution of substances and conditions that should be avoided.
- Take caution against high temperature.
- Refer Engineering Maintenance and Personal Protective Gears at work.

B. Storage Precautionary Statements:

- Take caution of substances and conditions that should be avoided.
- Store in cool and dry places.
- Seal it before storage.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

A. Exposure Limits By Material:

Chemical Name	Exposure limit under ISHL	ACGIH	OSHA
BARIUM SULFATE	-	TWA 10 mg/m ³	-


Biological exposure limits: Not applicable

B. Engineering Controls

- The use of local exhaust ventilation is recommended to control emissions near the source. Laboratory samples should be handled in a fumehood. Provide mechanical ventilation of confined spaces.

C. Personal Protective Equipment:

- Respiratory protection: Frequent use or heavy exposure, respiratory protection if needed. Respiratory protection is ranked in order from minimum to maximum. Consider warning

	Material Safety Data Sheet (MSDS)	Date	2011.11.11
		Revision date	2015.05.01
	Hanwha Total Petrochemical PP Composite SH52C	Revision No.	REV.2
		Pages	6 / 12

properties before use.

※ When take shelter

- Dust, mist, fume-purifying respiratory protection
- Any air-purifying respirator with a corpuscle filter of high efficiency
- Any respiratory protection with a electromotion fan(for dust, mist, fume-purifying)

※ For Unknown Concentration or Immediately Dangerous to Life or Health

- Self-contained breathing apparatus(pressure-demand or other positive-pressure mode in combination)
- Supplied-air respirator with full facepiece


○ Eye protection: Wear primary eye protection such as splash resistant safety goggles with a secondary protection face shield. Provide an emergency eye wash station and quick drench shower in the immediate work area.

○ Hand protection: Where there is potential for hand contact, wear appropriate gloves.

○ Body protection: Where there is potential for skin contact, wear appropriate clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

- A. Appearance (physical state, color, etc.): Solid (Pellet)
- B. Smell: Not available
- C. Odor threshold: Not available
- D. pH: Not available
- E. Melting / freezing range: Not available
- F. Initial boiling point and boiling point range: Not available
- G. Flash point: Not available
- H. Evaporation Rate: Not available
- I. Flammability (solid, liquid): Not available
- J. Explosion range of prints or high / low: Not available

	Material Safety Data Sheet (MSDS)	Date	2011.11.11
		Revision date	2015.05.01
	Hanwha Total Petrochemical PP Composite SH52C	Revision No.	REV.2
		Pages	7 / 12


- K. VAPOR PRESSURE: Not available
- L. Solubility: Not available
- M. Vapor Density: Not available
- N. Specific gravity: 1.00 ~ 1.20
- O. n-octanol / water partition coefficient: Not available
- P. Autoignition temperature: Not available
- Q. Decomposition temperature: Not available
- R. Viscosity: Not available
- S. Molecular Weight: Not available

10. STABILITY AND REACTIVITY

- A. Stability:
 - It is stable when stored and handled under recommended condition and at ambient temperature and pressure.
- B. Possibility of Hazardous Reaction:
 - No report about harmful polymerized reactions in the room temperature and pressure.
- C. Conditions to Avoid:
 - Avoid contacting with heat, flame and/or other ignition sources.
- D. Materials to Avoid:
 - Flammable substance
- E. Hazardous Decomposition Products:
 - Thermal decomposition product a carbon oxides

11. TOXICOLOGICAL INFORMATION

- A. Information on the likely routes of exposure:
 - (Respiratory system): Not available
 - (Oral): Not available

	Material Safety Data Sheet (MSDS)	Date	2011.11.11
		Revision date	2015.05.01
	Hanwha Total Petrochemical PP Composite SH52C	Revision No.	REV.2
		Pages	8 / 12

(Eyes · Skin): Other Category

B. Delayed and immediate effects and also chronic effects from short and long term exposure

Acute Toxicity:

- Oral:

[POLYPROPYLENE]

(LD50) > 8000 mg/kg Rat

[BARIUM SULFATE]

LD50 > 3000 mg/kg Rat(mouse)

- Skin: Not available

- Respiratory: Not available

Skin corrosiveness or irritation:

[BARIUM SULFATE]

Human: No irritation

Severe eye damage or irritation:

[BARIUM SULFATE]

Human: Mild irritation

Respiratory sensitization: Not available

Skin sensitization: Not available

Carcinogenicity:

- Industrial Safety & Health Law: Not available

- OSHA: Not available

- NTP: Not available

- IARC(GROUP):

[POLYPROPYLENE]

Group 3


- ACGIH: Not available

- EC: Not available

Germ cell mutagenicity: Not available

Reproductive toxicity: Not available

Specific target organ toxicity (single exposure): Not available

	Material Safety Data Sheet (MSDS)	Date	2011.11.11
		Revision date	2015.05.01
	Hanwha Total Petrochemical PP Composite SH52C	Revision No.	REV.2
		Pages	9 / 12

- Specific target organ toxicity (repeated exposures): Not available
- Aspiration hazard: Not available

12. ECOLOGICAL INFORMATION

A. Ecotoxicity:

- Acute aquatic toxicity:
 - Fish: Not available
 - Invertebrate:
 - [BARIUM SULFATE]
 - EC50 32 mg/ℓ 48 hr Daphnia magna
 - Algae:
 - [BARIUM SULFATE]
 - EC50 1890.263 mg/ℓ 96 hr

B. Persistence and degradability:

- Persistent:
 - [BARIUM SULFATE]
 - log Kow 0.63
- Biodegradable: Not available

C. Bioaccumulative potential:


- Bioaccumulation:
 - [BARIUM SULFATE]
 - BCF 3.162
- Biodegradability: Not available

D. Mobility in soil: Not available

E. Other adverse effects: Not available

13. DISPOSAL CONSIDERATIONS

A. Disposal method:

	Material Safety Data Sheet (MSDS)	Date	2011.11.11
		Revision date	2015.05.01
	Hanwha Total Petrochemical PP Composite SH52C	Revision No.	REV.2
		Pages	10 / 12

- More than two kinds of wastes are a mixture if it is difficult to separate treatment by incineration or a similar process may stabilize the reducing. The possible to separate oil water separation must be disposed of Priority. Incinerate the waste in incinerator. Evaporated and the residue is treated by the method of incineration be disposed.

B. Special precautions for disposal:

- The user of this product must properly characterize the waste generated from the use of this product in accordance with all applicable federal, state and/or local laws and regulations in order to determine the proper disposal of the waste in accordance with all applicable federal, state and/or local laws and regulations. Observe of Wastes Control Act.

14. TRANSPORT INFORMATION

A. UN No.: Not regulated as a hazardous material.

B. UN Proper Shipping Name: Not available

C. Hazard class: Not available

D. Packing group: Not available


E. Marine pollutant: Not applicable

D. Special precautions for user related to transport or transportation measures:

EmS FIRE SCHEDULE: Not available

EmS SPILLAGE SCHEDULE: Not available

15. REGULATORY INFORMATION

	Material Safety Data Sheet (MSDS)	Date	2011.11.11
		Revision date	2015.05.01
	Hanwha Total Petrochemical PP Composite SH52C	Revision No.	REV.2
		Pages	11 / 12

A. Korea Industry Safety and Health Law (ISHL):

- Working Environment Measurement materials
: Not Applicable
- Material exposure standard
: Not Applicable
- Hazardous substances by the management target
: Not Applicable
- Special health check
: Not Applicable

B. The Chemical Control Act in Korea(TCCA)

- Toxic Chemical
: Not Applicable
- Permissible chemical
: Not applicable
- Limited Chemical
: Not applicable
- Prohibition Chemical
: Not applicable

C. Dangerous goods Safety Management Law in Korea


- Dangerous Goods
: Not Applicable

D. Waste Management Law in Korea

- Industrial waste
: Not Applicable (Designated Waste(Waste polymer compound))

E. Other local or international regulation

- Persistent Organic Pollutants Management Law: Not Applicable
- EU classification: Not classified
- Classification: Not Applicable

	Material Safety Data Sheet (MSDS)	Date	2011.11.11
		Revision date	2015.05.01
	Hanwha Total Petrochemical PP Composite SH52C	Revision No.	REV.2
		Pages	12 / 12

- Risk Phrases: Not Applicable
- Safety Phrases: Not Applicable

- US regulations
 - OSHA regulation (29 CFR1910.119): Not Applicable
 - CERCLA section 103 (40 CFR302.4): Not Applicable
 - EPCRA section 302(40 CFR355.30): Not Applicable
 - EPCRA section 304 (40 CFR355.40): Not Applicable
 - EPCRA section 311/312 (40 CFR355.40): Not Applicable
 - EPCRA section 313 (40 CFR372.65): Not Applicable
 - U.S. waste disposal regulations:
 - Hazardous Waste Number: Not Applicable
 - Regulatory Standard: Not Applicable
- Rotterdam Convention material: Not Applicable
- Stockholm Convention material: Not Applicable
- Montreal Protocol on Substances: Not Applicable

16. OTHER INFORMATION

A. References:

- Chemwatch AuthorITe(MSDS Authoring Software)
- KOSHA